

AVP 420

Volvo Penta
Mecc Alte
D+ &



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$%
CE	

2000/14/EC
 &\$\$\$#/(#
 z) \$ z \$z D:

	"	kw	"	kw	Amp
400/230	420,00	336,00	380,00	304,00	549,00

fPGDL GC ;) &
) & z fDF DL % \$! % % & GC " \$(** z & GC

Standard Specifications

z
 fl ! E
 z
 z

1

ALTERNATOR

fl E
 fl " E
 fl \$\$\$ \$\$\$\$ E
 fl " \$ E

TRANSFER SWITCH

!

AVP 420


Volvo Penta
Mecc Alte
D+' &'



Manufacturer		Volvo Penta
Model		TAD1343GE
		%\$\$' "# "
		366,00 kw [498,00HP]
	L	12,780
	"	131X158
		18,1:1
	fl # 7	"# " 1500
	fl 7	L 36,00
		L 44,00
AbsorbedAirDischargeReSourceKey.Text	' # "	27,00
	' # "	408,00
		24 V d.c.
	Load	%\$\$i
	# "	
		83,50

		Mecc Alte
		ECO40 1S/4
	Hz	50
	"	400,00
7cg		0,80
		3
	fl 7	400/230
	A	577,00

		fl 7		fl 7	
	"	"	"	"	L
AVP 420					



AVP 420

Volvo Penta
Mecc Alte
D+ &



- 1 8G9ž ' + ' &\$ž) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9'+' &\$ ž 'fi
&&\$ ž " 8G9'+' &\$
ž 8G9'+' &\$
% &l '* (ž
žFG&' &žFG(,) ž

